

037

PRINCE GEORGES COUNTY, MARYLAND

muwathel (column) is hel class where:

1 = HIGHLY ERODIBLE SOIL MAP UNITS

2 = POTENTIALLY HIGHLY SOIL MAP UNITS

3 = NOT HIGHLY ERODIBLE SOIL MAP UNITS

musym	muname	muwathel
----	-----	-----
ADA	ADELPHIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
ADB2	ADELPHIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
ADC2	ADELPHIA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
AHA	ADELPHIA SILT LOAM, 0 TO 2 PERCENT SLOPES	3
AHB2	ADELPHIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
AUB2	AURA GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
AUC2	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
AUC3	AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
AUD	AURA GRAVELLY LOAM, 12 TO 20 PERCENT SLOPES	1
AVE	AURA AND CROOM GRAVELLY LOAMS, 20 TO 50 PERCENT SLOPES	1
BEA	BELTSVILLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
BEB2	BELTSVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
BEC2	BELTSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
BLA	BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
BLB2	BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
BLC2	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
BLC3	BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
BLD2	BELTSVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1

BMB	BELTSVILLE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
BMB	BELTSVILLE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	3
BMC	BELTSVILLE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1
BMC	BELTSVILLE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
BN	BIBB SANDY LOAM	3
BO	BIBB SILT LOAM	3
BR	BIBB-URBAN LAND COMPLEX	3
BR	BIBB-URBAN LAND COMPLEX	3
BTB2	BUTLERTOWN SILT LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
CAB2	CHILLUM SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
CAC2	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
CAC3	CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
CAD2	CHILLUM SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	1
CBB	CHILLUM-URBAN LAND COMPLEX, 0 TO 6 PERCENT SLOPES	2
CBB	CHILLUM-URBAN LAND COMPLEX, 0 TO 6 PERCENT SLOPES	2
CBC	CHILLUM-URBAN LAND COMPLEX, 6 TO 12 PERCENT SLOPES	1
CBC	CHILLUM-URBAN LAND COMPLEX, 6 TO 12 PERCENT SLOPES	2
CBE	CHILLUM-URBAN LAND COMPLEX, 12 TO 35 PERCENT SLOPES	2
CBE	CHILLUM-URBAN LAND COMPLEX, 12 TO 35 PERCENT SLOPES	2
CCC3	CHRISTIANA CLAY, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
CCD3	CHRISTIANA CLAY, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
CCE3	CHRISTIANA CLAY, 15 TO 35 PERCENT SLOPES, SEVERELY ERODED	1
CDA	CHRISTIANA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
CDB2	CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
CDC2	CHRISTIANA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
CDD2	CHRISTIANA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
CEA	CHRISTIANA SILT LOAM, 0 TO 2 PERCENT SLOPES	3
CEB2	CHRISTIANA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1

CEC2	CHRISTIANA SILT LOAM 5 TO 10 PERCENT SLOPES MODERATELY ERODED	1
CED2	CHRISTIANA SILT LOAM, 10 TO 25 PERCENT SLOPES, MODERATELY ERODED	1
CFB	CHRISTIANA-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
CFB	CHRISTIANA-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
CFC	CHRISTIANA-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1
CFC	CHRISTIANA-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
CFE	CHRISTIANA-URBAN LAND COMPLEX, 15 TO 40 PERCENT SLOPES	1
CFE	CHRISTIANA-URBAN LAND COMPLEX, 15 TO 40 PERCENT SLOPES	2
CG	CLAY PITS	2
CH	CODORUS SILT LOAM	3
CK	CODORUS-URBAN LAND COMPLEX	2
CK	CODORUS-URBAN LAND COMPLEX	2
CL	COLEMANTOWN LOAM	3
CMA	COLLINGTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
CMB2	COLLINGTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
CMC2	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
CMC3	COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
CMD2	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
CMD3	COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
CME2	COLLINGTON FINE SANDY LOAM, 15 TO 40 PERCENT SLOPES, MODERATELY ERODED	1
CME3	COLLINGTON FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES, SEVERELY ERODED	1
CNB2	COLLINGTON LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
CNC2	COLLINGTON LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
CND2	COLLINGTON LOAMY FINE SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
COA	COLLINGTON SILT LOAM, 0 TO 2 PERCENT SLOPES	3
COB2	COLLINGTON SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
COC3	COLLINGTON SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
CPB	COLLINGTON-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	3

CPB	COLLINGTON-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	3
CPC	COLLINGTON-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1
CPC	COLLINGTON-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
CR	COMUS SILT LOAM	3
CSB2	CROOM GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY ERODED	1
CSC2	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
CSC3	CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
CTB2	CROOM GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	1
CTC2	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
CTC3	CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
CTD2	CROOM GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	1
CUB	CROOM-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	2
CUB	CROOM-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	2
CUC	CROOM-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	1
CUC	CROOM-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	2
CUE	CROOM-URBAN LAND COMPLEX, 15 TO 35 PERCENT SLOPES	1
CUE	CROOM-URBAN LAND COMPLEX, 15 TO 35 PERCENT SLOPES	2
DOA	DONLONTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
DOB2	DONLONTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
EK	ELKTON SILT LOAM	3
EIB	ELKTON FINE SANDY LOAM, THICK SURFACE, 0 TO 5 PERCENT SLOPES	2
EMA	ELSINBORO LOAM, 0 TO 2 PERCENT SLOPES	3
EMB2	ELSINBORO LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2
ENA	ELSINBORO SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
ENB2	ELSINBORO SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
ENC2	ELSINBORO SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
EUB	ELSINBORO-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
EUB	ELSINBORO-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2

FL	FALLSINGTON LOAM	3
FS	FALLSINGTON SANDY LOAM	3
FU	FALLSINGTON-URBAN LAND COMPLEX	3
FU	FALLSINGTON-URBAN LAND COMPLEX	3
GAB	GALESTOWN GRAVELLY LOAMY SAND, 0 TO 8 PERCENT SLOPES	2
GAC	GALESTOWN GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	1
GDB	GALESTOWN LOAMY SAND, 0 TO 8 PERCENT SLOPES	3
GDC	GALESTOWN LOAMY SAND, 8 TO 15 PERCENT SLOPES	1
GEB	GALESTOWN-EVESBORO LOAMY SANDS, 0 TO 8 PERCENT SLOPES	2
GEB	GALESTOWN-EVESBORO LOAMY SANDS, 0 TO 8 PERCENT SLOPES	2
GEC	GALESTOWN-EVESBORO LOAMY SANDS, 8 TO 15 PERCENT SLOPES	2
GEC	GALESTOWN-EVESBORO LOAMY SANDS, 8 TO 15 PERCENT SLOPES	1
GMB	GALESTOWN-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	3
GMB	GALESTOWN-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	2
GMC	GALESTOWN-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	1
GMC	GALESTOWN-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	2
GNC2	GLENELG LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
GOB	GLENELG-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	2
GOB	GLENELG-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	2
GP	GRAVEL AND BORROW PITS	3
HA	HATBORO SILT LOAM	3
HCC3	HOWELL CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
HCD3	HOWELL CLAY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
HOB2	HOWELL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
HOC2	HOWELL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
HWB2	HOWELL SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
HWC2	HOWELL SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
HWD2	HOWELL SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	1

HWE2	HOWELL SILT LOAM, 20 TO 35 PERCENT SLOPES, MODERATELY ERODED	1
HY	HYDE SILT LOAM	3
IK	IUKA FINE SANDY LOAM	3
IMA	IUKA SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	3
IMB	IUKA SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	3
IN	IUKA SILT LOAM	3
IOA	IUKA SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	3
IOB	IUKA SILT LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT	1
IU	IUKA-URBAN LAND COMPLEX	2
IU	IUKA-URBAN LAND COMPLEX	2
IX	IUKA-URBAN LAND COMPLEX, LOCAL ALLUVIUM	2
IX	IUKA-URBAN LAND COMPLEX, LOCAL ALLUVIUM	2
JO	JOHNSTON SILT LOAM	3
JU	JOHNSTON-URBAN LAND COMPLEX	3
KEA	KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
KEB2	KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
KEC2	KEYPORT FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
KPA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	3
KPB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	1
KPC2	KEYPORT SILT LOAM, 5 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
KRC3	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
KUB	KEYPORT-URBAN LAND COMPLEX, 0 TO 10 PERCENT SLOPES	2
KUB	KEYPORT-URBAN LAND COMPLEX, 0 TO 10 PERCENT SLOPES	2
KY	KLEJ LOAMY SAND	3
LEA	LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	3
LEB	LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES	1
MA	MADE LAND	3
MFB2	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	2

MGB2	MAGNOLIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MGC2	MAGNOLIA SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED	1
MHB2	MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	1
MHC2	MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
MHD2	MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	1
MHF2	MANOR LOAM, 25 TO 60 PERCENT SLOPES, MODERATELY ERODED	1
MKC	MANOR-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	1
MKC	MANOR-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	2
MLA	MARR FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MLB2	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
MLB3	MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	1
MLC2	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
MLC3	MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
MLD3	MARR FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
MLE	MARR FINE SANDY LOAM, 20 TO 35 PERCENT SLOPES	1
MMA	MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MMB2	MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MNA	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MNB2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MNC2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
MNC3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
MND2	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
MOB2	MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODTT	2
MPB	MATAPEAKE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
MPB	MATAPEAKE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
MPC	MATAPEAKE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1
MPC	MATAPEAKE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
MRA	MATAWAN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3

MRB2	MATAWAN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MRC2	MATAWAN FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
MSA	MATAWAN LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
MSB	MATAWAN LOAMY SAND, 2 TO 5 PERCENT SLOPES	2
MTA	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MTB2	MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MUA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	3
MUB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
MVB	MATTAPEX-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
MVB	MATTAPEX-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
MW	MIXED ALLUVIAL LAND	3
MXC3	MONMOUTH CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
MXD3	MONMOUTH CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
MYA	MONMOUTH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
MYB2	MONMOUTH FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
MYC2	MONMOUTH FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
MYD2	MONMOUTH FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
MZB2	MUIRKIRK LOAMY SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
MZC2	MUIRKIRK LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
OCA	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	3
OCB	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	3
OCC	OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 5 TO 10 PERCENT SLOPES	3
OHA	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	3
OHB	OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	3
OK	OCHLOCKONEE, LOCAL ALLUVIUM-URBAN LAND COMPLEX	3
OL	OTHELLO FINE SANDY LOAM	3
OT	OTHELLO SILT LOAM	3
PR	PLUMMER AND RUTLEGE LOAMY SANDS	3

RDA	RUMFORD LOAMY SAND, 0 TO 2 PERCENT SLOPES	3
RDB2	RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
RDC2	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
RDC3	RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
RDD2	RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
REB	RUMFORD-EVESBORO LOAMY SANDS, 2 TO 6 PERCENT SLOPES	2
REC	RUMFORD-EVESBORO LOAMY SANDS, 6 TO 12 PERCENT SLOPES	1
RED	RUMFORD-EVESBORO LOAMY SANDS, 12 TO 20 PERCENT SLOPES	1
SAE	SANDY LAND, STEEP	1
SCB	SANDY AND CLAYEY LAND, GENTLY SLOPING	2
SCC	SANDY AND CLAYEY LAND, SLOPING	2
SCD	SANDY AND CLAYEY LAND, MODERATELY STEEP	1
SFB2	SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
SFC2	SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
SFD2	SASSAFRAS GRAVELLY LOAM, 15 TO 20 PERCENT SLOPES, MODERATELY ERODED	1
SGB2	SASSAFRAS GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1
SGC2	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
SGC3	SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
SGD2	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
SGD3	SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
SGE	SASSAFRAS GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES	1
SHA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SHB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	3
SHC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
SHC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
SKB	SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	3
SKB	SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
SKC	SASSAFRAS-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1

SKC	SASSAFRAS-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
SKE	SASSAFRAS-URBAN LAND COMPLEX, 15 TO 30 PERCENT SLOPES	1
SKE	SASSAFRAS-URBAN LAND COMPLEX, 15 TO 30 PERCENT SLOPES	1
SLD	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 12 TO 20 PERCENT SLOPES	1
SLE	SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 20 TO 35 PERCENT SLOPES	1
SMA	SHREWSBURY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
SMB	SHREWSBURY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	3
SNA	SHREWSBURY SILT LOAM, 0 TO 2 PERCENT SLOPES	3
SO	SHREWSBURY-URBAN LAND COMPLEX, GENTLY SLOPING	3
SO	SHREWSBURY-URBAN LAND COMPLEX, GENTLY SLOPING	1
SPB	SILTY AND CLAYEY LAND, GENTLY SLOPING	2
SPB	SILTY AND CLAYEY LAND, GENTLY SLOPING	2
SPC	SILTY AND CLAYEY LAND, SLOPING	2
SPC	SILTY AND CLAYEY LAND, SLOPING	2
SPE	SILTY AND CLAYEY LAND, STEEP	1
SPE	SILTY AND CLAYEY LAND, STEEP	1
STB2	SUNNYSIDE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
STC2	SUNNYSIDE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
STD2	SUNNYSIDE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
STE	SUNNYSIDE FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	1
SUB2	SUNNYSIDE LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
SUC2	SUNNYSIDE LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
SUD2	SUNNYSIDE LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	1
SVC3	SUNNYSIDE SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	1
SVD3	SUNNYSIDE SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	1
SWB	SUNNYSIDE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
SWB	SUNNYSIDE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	2
SWC	SUNNYSIDE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	1

SWC	SUNYSIDE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	2
SX	SWAMP	3
TM	TIDAL MARSH	3
WAA	WESTPHALIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WAB2	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
WAB3	WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	1
WAC2	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
WAC3	WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
WAD2	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	1
WAD3	WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
WBB2	WESTPHALIA VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	2
WBC2	WESTPHALIA VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
WBD2	WESTPHALIA VERY FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	1
WEB2	WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
WEB2	WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	1
WEC2	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
WEC2	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	1
WEC3	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
WEC3	WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	1
WED3	WESTPHALIA-EVESBORO COMPLEX, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
WED3	WESTPHALIA-EVESBORO COMPLEX, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	1
WOA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	3
WOR2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	2
WOC2	WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	1
WU	WOODSTOWN-URBAN LAND COMPLEX	2
WU	WOODSTOWN-URBAN LAND COMPLEX	2